

Web Images Groups News Froogle Local New! more »

OPOS device status change "service object" Search | Advanced Search Preferences

Web

Results 1 - 10 of about 11 for OPOS device status change "service object" 2000. (0.25 seconds)

[PDF] OMTD, OPOS for MagTek Devices, Programming Reference Manual

File Format: PDF/Adobe Acrobat - View as HTML

... This event provides a means for a Service Object to provide ... OMTD OPOS for MagTek

Devices ... a Control needs to alert the application of a device status change. ...

www.magtek.com/documentation/public/99875144-3.pdf - Similar pages

[PDF] OLE for Retail POS

File Format: PDF/Adobe Acrobat - View as HTML

... How an Application Uses an **OPOS** Control ... 16 **Status** Model ... 20 Exclusive-Use Devices.... ... www.wincor-nixdorf.com/.../SystemSoftware/ OPOSapplicationprogguide1.6,templateId=blob.jsp,property=Data.pdf -

Similar pages

(PDF) Ithaca POS (Point of Sale)

File Format: PDF/Adobe Acrobat - View as HTML

... Drawer Open Status Immediately: If set, the driver ... OPOS drivers are first "Opened",

"Claimed" and "Enabled ... Then the device is used (ie printing is done ...

www.ithper.com/dwnlds/driver_training.pdf - Similar pages

[PDF] UnifiedPOS Administrative Process UnifiedPOS Development Process

File Format: PDF/Adobe Acrobat - View as HTML

... matured beyond the working draft **status** must also be ... which performs the service to activate **device** function ... **OPOS** A standard API for retail peripherals for Win32 ...

www.nrf-arts.org/unifiedpos/uposadmin.pdf - Similar pages

Whats New

... Deliverables that have matured beyond the working draft status must also be ... is an executable routine which performs the service to activate device function ... OPOS. ... www.nrf-arts.org/unifiedpos/uposadmin.htm - 88k - Supplemental Result - Cached - Similar pages

[PDF] Ronnie's BP Guide Sections

File Format: PDF/Adobe Acrobat - View as HTML

... Finding Current OPOS Service Objects ... Custom HTML Status Bar ... License

and Copy Protection Device Errors.....257 ...

www.ts2seminars.com/resources/ files/RMS/RMS Implementation Guide April04.pdf - Similar pages

[PDF] OPOS for .Net インプリメンテーションリファレンス

File Format: PDF/Adobe Acrobat - View as HTML

... UnifiedPOS デバイスクラス OPOS for .NETコントロール ネームスペース名称 BumpBar

POS. Device. BumpBar CashChanger POS. Device. CashChanger ...

download.microsoft.com/download/b/4/ f/b4f7949a-61cb-475d-a536-751e7af993e4/OPOS%20for.NET.pdf - Similar pages

[poc] 第 1 章

File Format: Microsoft Word 2000 - View as HTML

... Microsoft Windows®95/98、Microsoft WindowsNT®、Microsoft Windows®2000およびMicrosoft ...

OPOSイベント. SOData. ... SOData. 形式 void SOData (LONG Status); ...

download.microsoft.com/download/3/ 3/b/33b1d559-54c4-4d8e-a336-6f53489d36b9/CPG17rev.doc - Similar pages

Bandwidth Market, Ltd

... [0106] An **OPOS** object converts ... to the **device** to commands that are supported by the **device**, and receives process results from the **device** as **status** reports. ... www.bandwidthmarket.com/resources/ patents/apps/2001/11/20010035971.html - 96k - Supplemental Result - <u>Cached</u> - <u>Similar pages</u>

[PDF] Draft Copy Under Construction

File Format: PDF/Adobe Acrobat - View as HTML

... to select your device from the list of available OPOS devices. ... a USB connection and

doesn't have an OPOS driver. ... Each Clerk's IN/OUT status (and till Number ...

www.keystrokepos.com/public/ prodinfo/keystrok/kssupt/pdfs/v5draft2.pdf - Supplemental Result - Similar pages

In order to show you the most relevant results, we have omitted some entries very similar to the 10 already displayed.

If you like, you can repeat the search with the omitted results included.

Free! Google Desktop Search: Search your own computer. Download now.



OPOS device status change "serv Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

<u>Google Home</u> - <u>Advertising Programs</u> - <u>Business Solutions</u> - <u>About Google</u>

©2005 Google

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
61	5 3	OPOS and OLE and (device\$1 near4 status)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 08:37
L2	125	719/321-327.ccls. and ((device\$1 peripheral\$1) with (status state\$1) with (record\$3 receiv\$3 detect\$3 monitor\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 08:39
L3	168	719/318,321-327.ccls. and ((device\$1 peripheral\$1) with (status state\$1) with (record\$3 receiv\$3 detect\$3 monitor\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 08:39
L4	102	3 and ((determin\$3 compar\$3) with (status state\$1 change\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 08:40
L5	101	4 and (record\$3 stor\$3 sav\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 08:45
L6	13	5 and (time\$1stamp\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 08:40
S1	289	719/313-315,328-332.ccls. and (OPOS OLE POS (point\$1of\$1sale))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 14:09
S2	1	S1 and (monitor\$3 with status with (device\$1 peripheral\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 08:34
S3	4	S1 and (((monitor\$3 detect\$3 record\$3) with (status change\$1)) same (device\$1 peripheral\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 09:13

S4	517	719/313-315,328-332.ccls. and (manage\$4 with (device\$1 peripheral\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 08:37
S5	465	S4 and (object\$1 OLE OPOS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 08:37
S6	115	S5 and ((monitor\$3 detect\$3 record\$3) with (status change\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 08:38
S7	111	S6 and interface\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 08:39
S8	71	S7 and (API\$1 (application adj2 interface\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 08:39
59	29	S8 and (POS\$1 (point\$1of\$1sale\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 09:08
S10	45489	((device\$1 peripheral\$1) with control\$4) and ((monitor\$3 detect\$3) with (status change\$1) with (device\$1 peripheral\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 09:09
S11 .	59	S10 and 719/310,313-316, 328-330.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 09:25
S12	1122	S10 and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 09:09
S13	787	S12 and object\$1 and (interface\$1 API\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 09:10

S14	13	S13 and OLE	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 09:10
S15	13	S13 and OLE\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 09:10
S16	2	"6288716".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 09:25
S17	2	"5793366".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 09:26
S18	2	"6112235".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 09:26
S19	3666	719/310,313-316,328-332.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 09:12
S20	134	S19 and (((monitor\$3 detect\$3 determin\$3 manag\$5) with (status change\$1)) with (device\$1 peripheral\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 09:14
S2:1	119	S20 and (object\$1 OLE\$1 OPOS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 09:14
S22	116	S21 and (interface\$1 API\$1 (programming adj2 interface\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 09:14
S23	12055	((detect\$3 monitor\$3 receiv\$3 record\$3) with change\$1 with (status state\$1) with (device\$1 peripheral\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 11:31

S24	355	S23 and (control\$5 near5 (device\$1 peripheral\$1)) with (manag\$6 near4 (device\$1 peripheral\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 11:32
S25	262	S24 and (object\$1 OLE\$1 COM\$1 component\$1) and (interface\$1 API\$1 (programming adj2 interface\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 11:32
S26	65	S25 and (POS\$1 point\$1of\$1sale\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 11:28
S27	1142	((detect\$3 monitor\$3 receiv\$3 record\$3) with change\$1 with (status state\$1) with (device\$1 peripheral\$1) with (object\$1 OLE\$1 COM\$1 component\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 11:32
S28	44	S27 and (control\$5 near5 (device\$1 peripheral\$1)) with (manag\$6 near4 (device\$1 peripheral\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 11:32
S29	356	S27 and (interface\$1 API\$1 (programming adj2 interface\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 11:32
S30	283	S29 and ((control\$5 manage\$5) near5 (device\$1 peripheral\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 11:35
S31	2	"6721879".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 11:35
S32	1	"4682158".PN.	USPAT; USOCR	OR	OFF	2005/03/10 11:36
S33	1	"5935228".PN.	USPAT; USOCR	OR .	OFF	2005/03/10 11:36
534	1	"6239800".PN.	USPAT; USOCR	OR	OFF	2005/03/10 11:37
S35	1	"6269396".PN.	USPAT; USOCR	OR	OFF	2005/03/10 11:47
S36	1	"6363411".PN.	USPAT; USOCR	OR	OFF	2005/03/10 11:47

Search History 3/14/05 9:01:30 AM Page 4 C:\APPS\EAST\Workspaces\10045578.wsp

						•
S37	1	"6363421".PN.	USPAT; USOCR	OR	OFF	2005/03/10 11:48
S38 -	242122	((manag\$5 control\$5) with (device\$1 peripheral\$1)) same (object\$1 OLE\$1 COM component\$1 bean\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 14:10
S39	2791	S38 and ((monitor\$3 detect\$3 receiv\$4 record\$3) with (status state\$1) with change\$1 with (device\$1 peripheral\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 14:11
S40	622	S39 and ((object\$1 COM\$1 component\$1 bean\$1 OLE\$1) with (interface\$1 API\$1 (program\$5 adj2 interface\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 14:13
S41	47	S40 and (POS OPOS (point\$1of\$1sale))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 14:19
S42	30	S40 and "719"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 14:20
S43	106	S40 and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 14:24
S44	91	S40 and "710"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 14:45
S45	6587	(((device\$1 peripheral\$1) adj2 controller\$1) same (object\$1 OLE\$1 COM component\$1 bean\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 08:19
S46	394	S45 and (management near3 (system\$1 application\$1 program\$1) with (device\$1 peripheral\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 08:20

S47	273	S46 and ((device\$1 peripheral\$1) with (state\$1 status error\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 09:07
S48	1	"6600958".PN.	USPAT; USOCR	OR	OFF	2005/03/11 08:57
S49	1	"6434447".PN.	USPAT; USOCR	OR	OFF	2005/03/11 08:57
S50	1	"6389466".PN.	USPAT; USOCR	OR	OFF	2005/03/11 08:57
S51	1	"6314447".PN.	USPAT; USOCR	OR	OFF	2005/03/11 08:57
S52	1	"6314447".PN.	USPAT; USOCR	OR	OFF	2005/03/11 08:57
S53	1	"6199136".PN.	USPAT; USOCR	OR	OFF	2005/03/11 08:57
S54	1	"5959536".PN.	USPAT; USOCR	OR	OFF	2005/03/11 08:58
S55	3	S46 and (control\$4 near2 object\$1) and (service near2 object\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 09:08
S56:	23	OPOS.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 15:02
S57	1541	(OPOS (point\$1of\$1sale)) and ((device\$1 peripheral) near3 control\$5) and (object\$1 OLE COM component\$1 bean\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 15:10
.S58	1 436	S57 and (management adj2 (application\$1 program\$1 system\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/03/11 15:10
S59	32	S58 and ((control service) adj2 object\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 15:08
S60	106	S58 and API\$1 and interface\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 15:09

S61	3	S60 and ((device\$1 peripheral\$1) with (status state\$1) with (new change\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 15:11
S62	0	(OPOS (point\$1of\$1sale)) and ((device\$1 peripheral) adj2 controler) and (object\$1 OLE COM component\$1 bean\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 15:10
S63	215	(OPOS (point\$1of\$1sale)) and ((device\$1 peripheral) adj2 controller) and (object\$1 OLE COM component\$1 bean\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 15:10
S64	69	S63 and (management adj2 (application\$1 program\$1 system\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 15:10
S65	52	S64 and ((device\$1 peripheral\$1) with (status state\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 15:11